Clinical and Experimental Dermatology (1983) **8**, 669–677.

Index

SUBJECTS

Acanthosis nigricans
  and warts, 651
Acne
  cystic pyogenic granuloma, 107
  excoriée, 65
  fulminans, 401
Amyloidosis
  localization and P component, 355
  macular, 195, 363
    and nail dystrophy, 363
Antihistamines, 207, 463
Axillae
  normal flora, 259

Basal cell naevus syndrome
  cysts in, 212
Bombesin, 3
Book Reviews
  A Manual of Dermatology for Developing Countries, 334
  Cell Wall Deficient Bacteria. Basic Principles and Clinical Significance, 440
  Clinical Dermatology: An Illustrated Textbook, 117
  Clinical Dermatology: Diagnosis and Therapy of Common Disease, 665
  Colour Atlas and Synopsis of Clinical Dermatology, 666
  Colour Atlas of Paediatric Dermatology, 565
  Diseases of the Hair and Scalp, 334
  Hair Research—Status and Future Aspects, 117
  Learning to Live with Skin Disorders, 117
  Manual of Practical Dermatology, 665
  Principles of Cosmetics for the Dermatologist, 565
  The Management of Leg Ulcers, 565
  The Nail, 118
  Unwanted Effects of Cosmetics and Drugs Used in Dermatology, 440
  Update: Dermatology in General Medicine, 666
  Virus Diseases and the Skin, 666
  Vitiligo and other Hypomelanoses of the Hair and Skin, 666
Bowen's disease, Multicentric cryopathy of, 319
Bullous disease
  atypical with eosinophilic spongiosis, 37
  bullous pemphigoid, 329
  dermatitis herpetiformis, 477
  immunofluorescence review, 337
  mixed, 113

Congenital onychodysplasia syndrome, index fingers, 563
Caterpillar dermatitis, 77
Clinical Meeting of the St John's Hospital Dermatological Society
  Bullous pemphigold in a child, 329
  Congenital onychodysplasia of the index fingers, 563
  Hypogonadism with leg ulceration, 437
  Mixed bullous disease, 113
  Morphoea, sclerotic panatrophy and disseminated granuloma annulare, 201
  Mycosis fungoides: progression towards Sézary syndrome reversed with chlorambucil, 429
Colchicine
  treatment of palmo-plantar pustulosis, 207
Correspondence
  Double-blind comparison of 0·1% dithranol and 17% urea (Psoradrate cream) and 0·25%-dithranol in vanishing cream (Dithrocream) in the treatment of psoriasis, 663; reply, 664
  Enhancement of delayed hypersensitivity in guinea-pigs by H_2-receptor antagonist, 207
  Failure of colchicine for palmo-plantar pustulosis, 207
  Retinal findings in patients with necrobiosis lipoidica, 439
  Thalidomide and the management of lupus erythematosus, 208

Correspondence (*cont.*)
UVR for uraemic pruritus, 208
Cryosurgery
of myxoid cysts, 153
Cyclosporin A, 159
Cysts
cryosurgery, 153
myxoid of finger, 153

Densitometry
of skin macrophotographs, 121
Dermatitis, atopic
food allergy, 227
histogenesis of, 213
house dust mite allergy, 233
Dermatitis contact
caterpillar, 77
Dermatitis herpetiformis, 477
Dermatology, tropical
leishmaniasis, 185
onchocerciasis and eosinophilic spongiosis, 405
schistosomiasis, 189
Dermographism, 463
Dithranol
treatment of psoriasis, 287
DNA analysis and lymphomatoid papulosis, 505

Ear piercing complications, 199
Eczema
atopic
food allergy, 227
histogenesis of, 213
house dust mite allergy, 233
hands, in Netherlands, 495
Eosinophilic cellulitis and onchocerciasis, 405
Eosinophilic spongiosis in pemphigus, 37
Epidermal proliferative units, 95
Epidermolysis bullosa acquisita, 311
Erythema annulare centrifugum, 383
Erythema elevatum diutinum, 549
Erythema multiforme
Koebner response in, 409
Etretinate
treatment of monilethrix, 393
treatment of virus warts, 33

Favus, 421

Glucuronidase
activity in various diseases, 299
Gorlin's syndrome
cysts in, 603
Graft-versus-host disease
scleroderma-like changes, 531
Granulomas
in sarcoidosis, 171
pyogenic and cystic acne, 107
Granuloma annulare
glucuronidase activity, 299
panatrophy and morphoea, 201

Hair
growth rate and handedness, 129
monilethrix, retinoid treatment, 393
Hand-Schuller-Christian disease, 177
Herpes gestationis
histopathology, 523
Herpes zoster
axon reflex impairment, 27
Histamine receptor sensitivity, 207
Histiocytoma
electron microscopy, 625
Histiocytosis X
Hand-Schuller-Christian disease, 177
Histopathology
immunoperoxidase techniques in, 443
lichen planus–lupus erythematosus disease, 631
normal skin, 513
polymorphic light eruption of pregnancy, 523

Ichthyosis
X-linked and pyloric stenosis, 61
Immunology
graft-versus-host disease and scleroderma, 531
immunofluorescence in bullous diseases, 337
immunoperoxidase labelling and lymphomas, 291
immunoperoxidase techniques in dermatopathology, 443
Langerhans cells, a review, 569
lichen planus-lupus erythematosus disease, 631
porokeratosis and nephritis, 69
systemic lupus erythematosus, 369
tinea pedis, 415
Industrial dermatology
hand eczema in Netherlands, 495
Isomorphic phenomenon, 409

Kinetics
epidermal proliferative units, 95
flow cytometry, 19
regional variation, 19
Koebner phenomenon and erythema multiforme, 409

Langerhans cells, 569
Leishmaniasis
mucocutaneous in Third World, 185
therapy, 185
Lichen planus
and lupus erythematosus, 631
familial, 397
of nails, 425
Lipoid proteinosis
histochemistry, 135
Liposarcoma
subcutaneous, 593
Lupus erythematosus
and lichen planus, 631
and thalidomide, 208
and systemic ANA-negative, 369
Lymphomas, see also Tumours
and Sézary syndrome, 429
cutaneous and Sézary syndrome, 159
immunoperoxidase labelling, 291
lymphomatoid papulosis, 505

Magnesium deficiency in skin, 539
Malignancy
skin signs of, 651
Microbiology
Favus, 421
mycobacterium avium-intracellulare, 323
Neomycin in dermatology, 249
normal axilla flora, 259
tinea pedis, immunology of, 415
Mixed bullous disease, 113
Monilethrix, 393
Morphoea
granuloma annulare and panatrophy, 201
Mycetoma in U.K., 553
Mycology
Alternaria alternata infection, 641
mycetoma in U.K., 553
Mycosis fungoides, 291
and Sézary syndrome, 429

Naevus
verrucous epidermal, retinoid treatment, 647
Nails
congenital malalignment, 619
congenital onychodysplasia of index fingers, 563
growth rate and handedness, 129
lichen planus, bullous, 425
with macular amyloidosis, 363
Necrobiosis lipoidica
glucuronidase activity, 299
retinal findings in, 439
Neomycin in dermatology, 249
News and Notices, 119, 210, 335, 441, 567, 668

Onchocerciasis
and eosinophilic cellulitis, 405
Other visits
The 1981 Annual Meeting of the American Academy of Dermatology, 205
The College of Medicine of South Africa Interdisciplinary Symposium on Rehabilitation 1981, 111

Panatrophy
granuloma annulare and morphoea, 201
Papulosis
lymphomatoid, DNA analysis, 505
Pemphigoid
juvenile bullous, 329
Pemphigus
atypical with eosinophilic spongiosis, 37
Peptides
regulatory and the skin, 3
regulatory distribution in skin, 3
substance P, 3
vasoactive intestinal (VIP), 3
Pharmacokinetics
topical steroids, 143
Photobiology
histamine response, 613
polymorphic light eruption of pregnancy histopathology, 523
site dosage of UVR, 279
sunburn cells, 305
UVR for uraemic pruritus, 208
Photochemotherapy
effect of histamine response, 613
Pigmentation
periocular in amyloidosis, 195
Polyarteritis nodosa
clinical types, 47

Porokeratosis
adrenal involvement, 69
Pregnancy, 523
Pruritus
and arteriohepatic dysplasia syndrome, 657
and carcinoma of the bronchus, 459
uraemic treatment of, 208
Psoriasis
photochemotherapy consequences, 279
treatment by psoradrate, 287
Psychiatry and the skin
acne excoriée, 65
Pustulosis
palmo-plantar and colchicine, 207

Retinoids
treatment of epidermal naevus, 647
treatment of monilethrix, 393
treatment of virus warts in patient with sarcoidosis, 33

Sarcoidosis
and ear piercing, 199
and mycobacterium aviin scars, 171
Schistosomiasis of vulva, 189
Scleredema adultorum
diabetes mellitus, 41
Scleroderma
graft-versus-host disease, 531
Scleroedema of Buschke and diabetes mellitus, 389
Sebaceous glands
naevoid hyperplasia of face, 379
Sézary syndrome
and lymphoma, 159
and mycosis fungoides, 429
Skin flora
axillary, 259
Skin macrophotography, 121
Skin topography, 121
Skin
normal vulva, 513
Somatostatin, 3
Steroids
potency after dilution, 489
clobetasol proprionate vs. clobetasone butyrate, 143
Subcutaneous liposarcoma, 593
Substance P, 3
Sunburn cells, 305

Thalidomide treatment of lupus erythematosus, 208
Thesis review
Acrokeratose paraneoplasique de Basex, 333
Tigason
treatment of virus warts, 33
Tinea pedis
immunology of, 415
Tumours, see also lymphomas
basal cell naevus syndrome, cysts in, 647
bronchus and pruritus, 459
histiocytoma
electron microscopy, 625
liposarcoma, 593
multicentric Bowen's disease, 319
sebaceous gland
benign naevoid hyperplasia, 379

Ulcers
leg and hypogonadism, 437
Urbach-Wiethe disease, 135
Urticaria
factitial, 463

Vasoconstrictor assays
and steroids, 489
Venous ulcers and hypogonadism, 437
Virus diseases
comon warts treated with retinoids, 33
herpes zoster and axon reflexes, 27

Warts
treatment with etretinate, 33
presenting sign of acanthosis nigricans, 651

AUTHORS

A-Humaidan, Y. *see* Al-Gindan, Y. *et al.*, 185
Abdel-Aal, M.A.M. Treatment of systematized verrucous epidermal naevus by aromatic retinoid (Ro. 10-9359), 647

ADDIS, B.J. *see* CATTERALL, M.D. *et al.*, 159
AHMED, A.R. and AIELLA, J. Chronic tinea pedis: presence of high serum IgE levels, anti-ICS antibody, and ANA, 415
AHMED, A.R. and WORKMAN, S. ANA-negative systemic lupus erythematosus, 369
AIELLA, J. *see* AHMED, A.R., 415
AL-GINDAN, Y., OMER, A.H.S., A-HUMAIDAN, Y., PETERS W. and EVANS, D.A. A case of mucocutaneous leishmaniasis in Saudi Arabia caused by *Leishmania major* and its response to treatment, 185
ALLEN, R. *see* BREATHNACH, S.M. *et al.*, 463
ARMSTRONG, B.K. *see* HOLMAN, C.D.J. *et al.*, 269
ASHTON, R.E. and GREAVES, M.W. The effect of UV irradiation and photochemotherapy (PUVA) on histamine weal and flare in human skin, 613
ATHERTON, D.J. The role of foods in atopic eczema, 227

BARAN, R. and BUREAU, H. Congenital malalignment of the big toe-nail as a cause of ingrowing toe-nail in infancy. Pathology and treatment (a study of thirty cases), 619
BARTER, S. *see* KOH, M.S. *et al.*, 299
BECK, M. *see* MACDONALD, R.H., 249
BHOGAL, B. *see* BLACK, M.M. *et al.*, 337
BHOGAL, B. *see* BREATHNACH, S.M. *et al.*, 355
BINDER, P. *see* STOLL, C. *et al.*, 61
BLACK, M.M., MEYRICK THOMAS, R.H. and BHOGAL, B. The value of immunofluorescence techniques in the diagnosis of bullous disorders: a review, 337
BLACK, M.M. *see* BREATHNACH, S.M. *et al.*, 355
BLACK, M.M. *see* HOLMES, R.C. *et al.*, 429
BLACK, M.M. *see* HOLMES, R.C. *et al.*, 523
BLACK, M.M. *see* MEYRICK THOMAS, R.H., 47
BLACK, M.M. *see* ROWLAND PAYNE, C.M.E. *et al.*, 171
BLACK, M.M. *see* SHAW, M. *et al.*, 363
BOYLE, J., DICK, D.C. and MACKIE, R.M. Treatment of extensive virus warts with etretinate (Tigason) in a patient with sarcoidosis, 33
BREATHNACH, S.M., ALLEN, R., MILFORD WARD, A. and GREAVES, M.W. Symptomatic dermographism: Natural history, clinical features, laboratory investigations and response to therapy, 463
BREATHNACH, S.M., MELROSE, S.M., BHOGAL, B., DE BEER, F.C., BLACK, M.M. and PEPYS, M.B. Ultrastructural localization of amyloid P component in primary localized cutaneous amyloidosis, 355
BUCKLEY, D.B., ENGLISH, J., MOLLOY, W., DOYLE, C.T. and WHELTON, M.J. Dermatitis herpetiformis: a review of 119 cases, 477
BUREAU, H. *see* BARAN, R., 619
BURKE, C.A. *see* GIBSON, J.R. *et al.*, 489

CATTERALL, M.D., ADDIS, B.J., SMITH, J.L. and COODE, P.E. Sézary syndrome: transformation to a high grade T-cell lymphoma after treatment with Cyclosporin A, 159
CHAPMAN, M.D. *see* PLATTS-MILLS, T.A.E. *et al.*, 233
CHILVERS, C. *see* KOH, M.S. *et al.*, 299
CHRISTENSEN, I.J. *see* WANTZIN, G.L. *et al.*, 505
CIRKEL, P.K.S. *see* VAN DER HORST, J.C. *et al.*, 631
CLOVER, P.T., MISCH, K.J. and RHODES, E.L. Retinal findings in patients with necrobiosis lipoidica, 439
COENRAADS, P.J., NATER, J.P. and VAN DER LENDE, R. Prevalence of eczema and other dermatoses of the hands and arms in the Netherlands. Association with age and occupation, 495
COLLINS, E.P. *see* ROGERS, S. *et al.*, 311
CONDE-ZURITA, J.M. *see* DEL PALACIO HERNANZ, A. *et al.*, 641
COODE, P.E. *see* CATTERALL, M.D. *et al.*, 159
COPEMAN, P.W.M. *see* MOBAYEN, M.M., 107
COTTERILL, J.A. *see* RYATT, K.S. *et al.*, 657
COTTERILL, J.A. *see* STATHAM, B.N. *et al.*, 549

DANIE, M.J. *see* HEHIR, M. *et al.*, 143
DARLEY, C.R. *see* GIBSON, J.R. *et al.*, 489
DAWBER, R.P.R., SONNEX, T., LEONARD, J. and RALFS, I. Myxoid cysts of the finger: treatment by liquid nitrogen spray cryosurgery, 153
DAWBER, R.P.R. *see* MORTIMER, P.S. *et al.*, 319
DE BEER, F.C. *see* BREATHNACH, S.M. *et al.*, 355
DEL PALACIO HERNANZ, A., CONDE-ZURITA, J.M., REYES PECHARROMAN, S. and RODRIGUEZ MORIEGA, A. A case of *Alternaria alternata* (Fr.) Keissler infection of the knee, 641
DICK, D.C. *see* BOYLE, J. *et al.*, 33
DIFFEY, B.L. *see* LARKO, O., 279
DIFFEY, B.L. *see* TAYLOR, R. *et al.*, 208

DOYLE, C.T. *see* BUCKLEY, D.B. *et al.*, 477
DU VIVIER, A. *see* HEHIR, M. *et al.*, 143

EADY, R.A.J. *see* MISCH, K.J. *et al.*, 651
EILON, L. *see* HEHIR, M. *et al.*, 143
ENGLISH, J.S.G., FENTON, D.A. and WILKINSON, J.D. Failure of cholchine for palmo-plantar pustulosis, 207
ENGLISH, J. *see* BUCKLEY, D.B. *et al.*, 477
EVANS, D.A. *see* AL-GINDAN, Y. *et al.*, 185

FENTON, D.A. *see* ENGLISH, J.S.C. *et al.*, 207
FILIPE, M.I. *see* HARPER, J.I. *et al.*, 135
FOULDS, I.S. and SLATER, D.N. Porokeratosis of Mibelli and immune complex glomerulonephritis, 69

GALOPPIN, L. *see* PONVERT, C. *et al.*, 539
GIBSON, I.M. *see* HOLMAN, C.D.J. *et al.*, 269
GIBSON, J.R., KRISCH, J., DARLEY, C.R. and BURKE, C.A. An attempt to evaluate the relative clinical potencies of various diluted and undiluted proprietary corticosteroid preparations, 489
GIBSON, J.R. and PEGUM, J.S. Favus—a report of two cases, 421
GRAHAM-BROWN, R.A.C., MCGIBBON, D.H. and SARKANY, I. A popular plaque-like eruption of the face due to naevord sebaceous gland hyperplasia, 379
GRAHAM-BROWN, R.A.C. and SARKANY, I. Scleroderma-like changes due to chronic graft-versus-host disease, 531
GREAVES, M.W. *see* ASHTON, R.E., 613
GREAVES, M.W. *see* BREATHNACH, S.M. *et al.*, 463
GREENWOOD, R. *see* STATHAM, B.N. *et al.*, 549
GRICE, K. Sarcoidosis and *Mycobacterium avium-intracellulare* cutaneous abscesses, 323
GRIFFITHS, W.A.D. and RESHAD, H. Hair and nail growth: an investigation of the role of left- and right-handedness, 129
GRIFFITHS, W.A.D. *see* MISCH, K.J. *et al.*, 651
GROSSHANS, E. *see* STOLL, C. *et al.*, 61
GRUNNET, N. and SCHMIDT, H. Occurrence of lichen planus in a family. Genetic susceptibility or coincidence? 397

HANEKE, E. Isolated bullous lichen planus of the nails mimicking yellow nail syndrome, 425
HARPER, J.I., FILIPE, M.I. and STAUGHTON, R.C.D. Lipid proteinosis: variations in the histochemical characteristics, 135
HARRINGTON, C. *see* THOMAS, S., 459
HASHIMOTO, T., SUGIURA, M., KURIHARA, S. and NISHIKAWA, T. Atypical pemphigus showing eosinophilic spongiosis, 37
HAY, R.J. and MACKENZIE, D.W.R. Mycetoma (madura foot) in the United Kingdom—a survey of forty-four cases, 553
HEHIR, M., DU VIVIER, A., EILON, L., DANIE, M.J. and SHENOY, E.V.B. Investigation of the pharmacokinetics of clobetasol propionate and clobetasone butyrate after a single application of ointment, 143
HENWOOD, B.P. and MACDONALD, D.M. Caterpillar dermatitis, 77
HINDSON, C. *see* TAYLOR, R. *et al.*, 208
HOGAN, J. *see* IDIKIO, H.A., 625
HOLDEN, C.A. and MACDONALD, D.M. Immunoperoxidase techniques in dermatopathology, 443
HOLMAN, C.D.J., GIBSON, I.M., STEPHENSON, M. and ARMSTRONG, B.K. Ultraviolet irradiation of human body sites in relation to occupation and outdoor activity: field studies using personal UVR dosimeters, 269
HOLMES, R. The 1981 Annual Meeting of the American Academy of Dermatology, 205
HOLMES, R.C., JURECKA, W. and BLACK, M.M. A comparative histopathological study of polymorphic eruption of pregnancy and herpes gestationis, 523
HOLMES, R.C., MCGIBBON, D.H. and BLACK, M.M. Mycosis fungoides: progression towards Sézary syndrome reversed with chlorambucil, 429
HOLMES, R.C. and MEARA, R.H. Morphoea, sclerotic panatrophy and disseminated granuloma annulare, 201
HOLT, P.J.A. *see* STATHAM, B.N. *et al.*, 401
HORIO, T. *see* MIYACHI, Y. *et al.*, 305
HUFF, J.C. and WESTON, W.L. Isomorphic phenomenon in erythema multiforme, 409
HUME, W.J. and POTTEN, C.S. Proliferative units in stratified squamous epithelium, 95
HUNTER, J.A.A. The Langerhans cell: from gold to glitter, 569
HUSZ, S. *see* JANCSÓ, G. *et al.*, 27
HUTT, M.S.R. *see* MCKEE, P.H. *et al.*, 189

IDIKIO, H.A. and HOGAN, J. Generalized eruptive histiocytoma: report of a case and electron microscopic finding of Michaelis-Guttman bodies, 625
IMAMURA, S. *see* MIYACHI, Y. *et al.*, 305

JACKMAN, P.J.H. and NOBLE, W.C. Normal axillary skin microflora in various populations, 259
JANCSÓ, G., HUSZ, S. and SIMON, N. Impairment of axon reflex vasodilatation after herpes zoster, 27
JOLLIFFE, D.S. and SARKANY, I. Mixed bullous disease, 113
JONES, I.S.G. A histological assessment of normal vulval skin, 513
JORIZZO, J.L. Enhancement of delayed hypersensitivity in guinea-pigs by H_2-receptor antagonist, 207
JURECKA, W. *see* HOLMES, R.C. *et al.*, 523
JURECKA, W. *see* SHAW, M. *et al.*, 363

KECZKES, K. *see* MCNAUGHTON, F., 41
KIRSCH, J. *see* GIBSON, J.R. *et al.*, 489
KOH, M.S., MAJEWSKI, B.B.J., BARTER, S., CHILVERS, C. and RHODES, E.L. Serum β-glucuronidase activity in human diabetes mellitus, granuloma annulare and necrobiosis lipoidica, 299
KURIHARA, S. *see* HASHIMOTO, T. *et al.*, 37
KURWA, A.R. *see* SHAW, M. *et al.*, 363

LARKIN, C. *see* ROGERS, S. *et al.*, 311
LARKO, O. and DIFFEY, B.L. Natural UV-B radiation received by people with outdoor, indoor and mixed occupations and UV-B treatment of psoriasis, 279
LARSEN, J.K. *see* WANTZIN, G.L. *et al.*, 505
LAURET, PH. Thalidomide and the management of lupus erythematosus, 208
LEONARD, J. *see* DAWBER, R.P.R. *et al.*, 153
LEPPARD, B.J. Skin cysts in the basal cell naevus syndrome, 603
LITTLEWOOD, J.M. *see* RYATT, K.S. *et al.*, 657
LOWE, D. *see* MCKEE, P.H. *et al.*, 593

MACDONALD, D.M. *see* HENWOOD, B.P., 77
MACDONALD, D.M. *see* HOLDEN, C.A., 443
MACDONALD, D.M. *see* ZACHARY, C.B., 177
MCDONALD, G.S.A. *see* ROGERS, S., 311
MACDONALD R.H. and BECK, M. Neomycin: a review with particular reference to dermatological usage, 249
MCGIBBON, D.H. *see* GRAHAM-BROWN, R.A.C. *et al.*, 379
MCGIBBON, D.H. *see* HOLMES, R.C. *et al.*, 429
MCKEE, P.H., LOWE, D. and SHAW, M. Subcutaneous liposarcoma, 593
MCKEE, P.H., WRIGHT, E. and HUTT, M.S.R. Vulval schistosomiasis, 189
MACKENZIE, D.W.R. *see* HAY, R.J., 553
MACKIE, R.M. *see* BOYLE, J. *et al.*, 33
MCNAUGHTON, F. and KECZKES, K. Scleredema adultorum and diabetes mellitus (scleredema diutinum), 41
MAHOOD, J.M. Erythema annulare centrifugum: a review of 24 cases with special reference to its association with underlying disease, 383
MAJEWSKI, B.B.J. *see* KOH, M.S. *et al.*, 299
MANN, R.J. and PEACHEY, R.D.G. Sarcoidal tissue reaction—another complication of ear piercing, 199
MARKS, R. *see* MARSHALL, R.J., 121
MARSDEN, R.A. Bullous pemphigoid in a child, 329
MARSHALL, R.J. and MARKS, R. Assessment of skin surface by scanning densitometry macrophotographs, 121
MEARA, R.H. *see* HOLMES, R.C., 201
MELROSE, S.M. *see* BREATHNACH, S.M. *et al.*, 355
MEYRICK THOMAS, R.H. and BLACK, M.M. The wide clinical spectrum of polyarteritis nodosa with cutaneous involvement, 47
MEYRICK THOMAS, R.H. *see* BLACK, M.M. *et al.*, 337
MEYRICK THOMAS, R.H. *see* ROWLAND PAYNE, C.M.E. *et al.*, 171
MILFORD WARD, A. *see* BREATHNACH, S.M. *et al.*, 463
MISCH, K.J., GRIFFITHS, W.A.D. and EADY, R.A.J. Warts as presenting sign in acanthosis nigricans, 651
MISCH, K.J. *see* CLOVER, P.T. *et al.*, 439
MITCHELL, E.B. *see* PLATTS-MILLS, T.A.E. *et al.*, 233
MIYACHI, Y., HORIO, T. and IMAMURA, S. Suburn cell formation is prevented by scavenging oxygen intermediates, 305
MOBAYEN, M.M. and COPEMAN, P.W.M. Multiple pyogenic granulomas in secondarily infected cystic acne, 107
MOLLOY, W. *see* BUCKLEY, D.B. *et al.*, 477

MONK, B.E. and PEMBROKE, A.C. Hypogonadism with leg ulceration, 437
MONK, B.E., PEMBROKE, A.C. and VOLLUM, D.I. Scleroedema of Buschke and diabetes mellitus: a report of two cases, 389
MORTIMER, P.S., SONNEX, T.S. and DAWBER, R.P.R. Cryotherapy for multicentric pigmented Bowen's disease, 319
MULLANEY, J. *see* ROGERS, S. *et al.*, 311

NATER, J.P. *see* COENRAADS, P.J. *et al.*, 495
NIEBOER, C. *see* VAN DER HORST, J.C. *et al.*, 631
NISHIKAWA, T. *see* HASHIMOTO, T. *et al.*, 37
NOBLE, W.C. *see* JACKMAN, P.J.H., 259

OMER, A.H.S. *see* AL-GINDAN, Y. *et al.*, 185

PEACHEY, R.D.G. *see* MANN, R.J., 199
PEGUM, J.S. *see* GIBSON, J.R., 421
PEMBROKE, A.C. *see* MONK, B.E., 437
PEMBROKE, A.C. *see* MONK, B.E. *et al.*, 389
PEPYS, M.B. *see* BREATHNACH, S.M. *et al.*, 355
PETERS, W. *see* AL-GINDAN, Y. *et al.*, 185
PLATTS-MILLS, T.A.E., MITCHELL, E.B., ROWNTREE, S., CHAPMAN, M.D. and WILKINS, S.R. The role of dust mite allergens in atopic dermatitis, 233
PONVERT, C., GALOPPIN, L. and SAURAT, J.-H. The dermatosis of hairless rats fed a hypomagnesaemic diet. I. Course, clinical features and inhibition by drugs, 539
POTTEN, C.S. *see* HUME, W.J., 95
PRITCHARD, M.H. *see* STRATHAM, B.N. *et al.*, 401

RALFS, I. *see* DAWBER, R.P.R. *et al.*, 153
RASMUSSEN, B.B. *see* LANGE WANTZIN, G. *et al.*, 505
RESHAD, H. *see* GRIFFITHS, W.A.D., 129
REYES PECHARROMAN, S. *see* DEL PALACIO HERNANZ, A. *et al.*, 641
RHODES, E.L. *see* CLOVER, P.T. *et al.*, 439
RHODES, E.L. *see* KOH, M.S. *et al.*, 299
RODRIGUEZ MORIEGA, A. *see* DEL PALACIO HERNANZ, A. *et al.*, 641
ROGERS, S., LARKIN, C., MCDONALD, G.S.A., MULLANEY, J. and COLLINS, F.P. Epidermolysis bullosa acquisita with pulmonary tuberculosis: a case report, 311
ROTH, M.P. *see* STOLL, G. *et al.*, 61
ROWLAND PAYNE, C.M.E., MEYRICK THOMAS, R.H. and BLACK, M.M. From silica granuloma to scar sarcoidosis, 171
ROWNTREE, S. *see* PLATTS-MILLS, T.A.E. *et al.*, 233
RUSSELL JONES, R. The histogenesis of eczema, 213
RYATT, K.S., COTTERILL, J.A. and LITTLEWOOD, J.M. Generalized pruritus in a baby as a presenting feature of the arteriohepatic dysplasia syndrome, 657
RYCROFT, R.J.G. The College of Medicine of South Africa Interdisciplinary Symposium on Rehabilitation 1981, 111

SAMMAN, P.D. Congenital onychodysplasia of the index fingers, 563
SARKANY, I., *see* GRAHAM-BROWN, R.A.C., 531
SARKANY, I., *see* JOLLIFFE, D.S. 113
SAKANY, I., *see* GRAHAM-BROWN, R.A.C. *et al.*, 379
SAURAT, J.-H. *see* PONVERT, C. *et al.*, 539
SCHMIDT, H. *see* GRUNNET, N., 397
SHAW, M., JURECKA, W., BLACK, M.M. and KURWA, A.R. Macular amyloidosis associated with familial nail dystrophy, 363
SHAW, M. *see* MCKEE, P.H. *et al.*, 593
SHENOY, F.V.B. *see* HEHIR, M. *et al.*, 143
SIMON, N. *see* JANCSÓ, G. *et al.*, 27
SLATER, D.N. *see* FOULDS, I.S., 69
SMITH, J.L. *see* CATTERALL, M.D., 159
SNEDDON, I. *see* SNEDDON, J., 65
SNEDDON, J. and SNEDDON, I. Acne excoriée: a protective device, 65
SONNEX, T. *see* DAWBER, R.P.R. *et al.*, 153
SONNEX, T.S. *see* MORTIMER, P.S. *et al.*, 319
STARINK, T.H.M. *see* VAN DEN BERG, W.H.H.W., 195
STATHAM, B.N., GREENWOOD, R., TRING, F.C. and COTTERILL, J.A. Erythema elevatum diutinum—a report of two unusual patients, 549
STATHAM, B.N., HOLT, P.J.A. and PRITCHARD, M.H. Acne fulminans—report of a case with polyarthritis, 401
STAUGHTON, R.C.D. *see* HARPER, J.I. *et al.*, 135
STEPHENSON, M. *see* HOLMAN, C.D.J. *et al.*, 269
STOLL, C., GROSSHANS, E., BINDER, P. and ROTH, M.P. Hypertrophic pyloric stenosis associated with X-linked ichthyosis in two brothers, 61
SUGIURA, M. *see* HASHIMOTO, T. *et al.*, 37

TAMAYO, L. Monilethrix treated with the oral retinoid Ro 10-9359 (Tigason), 393
TAYLOR, A.E.M. *see* TAYLOR, R. *et al.*, 208
TAYLOR, R., TAYLOR, A.E.M., HINDSON, C., and DIFFEY, B. UVR for uraemic pruritus, 208
THOMAS, S. and HARRINGTON, C.I. Intractable pruritus as the presenting symptom of carcinoma of the bronchus: a case report and review of the literature, 459
THOMSEN, K. *see* LANGE WANTZIN, G. *et al.*, 505
TRING, F.C. *see* STATHAM, B.N. *et al.*, 549
TROST, T.H. and WEIL, H.P. *In situ* differentiation of lymphocytes in light and electron microscopy employing peroxidase-labelled *Helix pomatia* lectin. Application for isolated cells and fixed tissues from lymph nodes and cutaneous lymphoma, 291

VAN DEN BERG, W.H.H.W. and STARINK, T.M. Macular amyloidosis, presenting as periocular hyperpigmentation, 195
VAN DEN HOOGENBAND, H.M. Eosinophilic cellulitis as a result of onchocerciasis, 405
VAN DER HORST, J.C., CIRKEL, P.K.S. and NIEBOER, C. Mixed lichen planus–lupus erythematosus disease: a distinct entity? Clinical, histopathological and immunopathological studies in six patients, 631
VAN DER LENDE, R. *see* COENRAADS, P.J. *et al.*, 495
VOLLUM, D.I. *see* MONK, B.E. *et al.*, 389

WANTZIN, G.L., THOMSEN, K., LARSEN, J.K., CHRISTENSEN, I.J. and BRUUN RASMUSSEN, B. DNA analysis by flow cytometry in lymphomatoid papulosis, 505
WEIL, H.P. *see* TROST, T.H., 291
WESTON, W.L. *see* CLARK HUFF, J., 409
WHELTON, M.J. *see* BUCKLEY, D.B., 477
WILKINS, S.R. *see* PLATTS-MILLS, T.A.E. *et al.*, 233
WILKINSON, J.D. *see* ENGLISH, J.S.C. *et al.*, 207
WILLIAMSON, D.M. Treatment of chronic psoriasis by Psoradrate (0·1% dithranol in a 17% urea base) applied under occulsion, 287
WORKMAN, S. *see* AHMED, R.A., 369
WRIGHT, E. *see* MCKEE, P.H. *et al.*, 189

ZACHARY, G.B. and MACDONALD, D.M. Hand-Schuller-Christian disease with secondary cutaneous involvement, 177